

NORCET 9 PRE MEMORY BASE Question

1. **A nurse is monitoring a 6-month-old infant undergoing a minor surgical procedure. The baby appears drowsy but remains conscious and maintains airway reflexes without assistance. What type of anesthesia is this?**
 - (a) General anesthesia
 - (b) Moderate sedation
 - (c) Deep sedation
 - (d) Local infiltration anesthesia
2. **Which state in India is characterized by having the longest coastline?**
 - (a) Andhra Pradesh
 - (b) Maharashtra
 - (c) Gujarat
 - (d) Odisha
3. **If an undersized (too short) blood pressure cuff is used for measurement, what is the likely result?**
 - (a) Falsely low reading
 - (b) Falsely high reading
 - (c) Normal reading
 - (d) No effect
4. **A patient with a history of chronic paranoid schizophrenia taking Haloperidol reports, "I can't stay still at night. I toss and turn." The nurse suspects:**
 - (a) Akathisia
 - (b) Akinesia
 - (c) Dystonia
 - (d) Opisthotonus
5. **Identify the cardinal sign of Kawasaki disease shown in pediatric patients:**
 - (a) Strawberry tongue
 - (b) Koplik spots
 - (c) Bull neck
 - (d) Butterfly rash
6. **During a non-stress test (NST) for a 35-week-pregnant client, the nurse notes three fetal movements with accelerations of 15 bpm lasting 15 seconds over 20 minutes. This is:**
 - (a) Nonreactive
 - (b) Reactive
 - (c) Positive
 - (d) Negative
7. **Which of the following is an example of distributive shock?**
 - (a) Anaphylactic shock
 - (b) Burn shock
 - (c) Hemorrhagic shock
 - (d) Cardiogenic shock
8. **What is the priority nursing action for a patient with a serum potassium level of 6.37 mEq/L ordered to receive IV calcium?**
 - (a) Administer calcium over 10-15 minutes and monitor for arrhythmias
 - (b) Administer as a rapid IV push
 - (c) Hold the dose and repeat the lab test
 - (d) Give oral calcium binders only
9. **Who is known as the "Missile Man of India"?**
 - (a) Vikram Sarabhai
 - (b) APJ Abdul Kalam
 - (c) Homi Bhabha
 - (d) C.V. Raman
10. **A patient presents with a pH of 7.55, PaCO₂ of 25 mmHg, and HCO₃ of 22 mEq/L. This indicates:**
 - (a) Metabolic alkalosis
 - (b) Respiratory alkalosis - uncompensated
 - (c) Respiratory alkalosis - partially compensated
 - (d) Metabolic acidosis
11. **During a breech delivery, the clinician allows the baby's legs and trunk to hang freely. As the nape of the neck appears, the clinician lifts the baby's legs over the mother's abdomen to deliver the head. Which maneuver is this?**
 - (a) Burn-Marshall maneuver
 - (b) Ritgen maneuver
 - (c) Prague's maneuver
 - (d) Mauriceau-Smellie-Veit maneuver
12. **In a patient with an inhalation burn injury, which oxygen administration method is considered most reliable?**
 - (a) Nasal cannula at 5 L/min
 - (b) Non-rebreather mask with 100% oxygen
 - (c) Venturi mask delivering 40% oxygen
 - (d) Simple face mask at 5 L/min
13. **A 45-year-old male is suspected of having active pulmonary tuberculosis. The nurse prepares a Mantoux test using 0.1 mL of PPD. What is the correct route?**
 - (a) Intradermally
 - (b) Subcutaneously
 - (c) Intramuscularly
 - (d) Intravenously
14. **Which finding confirms the presence of "Cushing's Triad" in an unconscious trauma patient?**
 - (a) Low blood pressure, tachycardia, and tachypnea
 - (b) Elevated systolic BP, bradycardia, and bradypnea/irregular respirations
 - (c) Low blood pressure, bradycardia, and normal breathing
 - (d) Normal BP, tachycardia, and Cheyne-Stokes respiration
15. **Under the Revised ICDS Programme (POSHAN 2.0), what is the daily calorie and protein provision for a child aged 6 to 72 months?**
 - (a) 400 Calories + 10-12g Protein
 - (b) 500 Calories + 12-15 g Protein
 - (c) 800 Calories + 20-25 g Protein
 - (d) 600 Calories + 18-20 g Protein

16. A psychiatric patient mechanically repeats "I want to go home... home... home... home." This rhythmic, senseless repetition is known as:
 (a) Echolalia
 (b) Echopraxia
 (c) Verbigeration
 (d) Perseveration
17. A patient with a head injury in the ICU has a regular narrow-complex tachycardia at 185 bpm. P-waves are not visible. This is likely:
 (a) Sinus tachycardia
 (b) Ventricular tachycardia
 (c) Supraventricular tachycardia (SVT)
 (d) Atrial fibrillation
18. In the first 24 hours after a patient is admitted with a thrombotic stroke (CVA), what is the priority nursing assessment?
 (a) Pupil size and pupillary response
 (b) Cholesterol levels
 (c) Bowel sounds
 (d) Daily weight
19. A patient taking Lithium for bipolar disorder presents with muscle weakness, coarse hand tremors, and nausea. What is the nurse's priority action?
 (a) Encourage oral fluids and administer the next dose.
 (b) Assess serum lithium level immediately.
 (c) Administer an anxiolytic for tremors.
 (d) Restrict sodium intake to prevent edema.
20. Which of the following is the official national helpline for mental health and wellness in India?
 (a) Tele-MANAS.
 (b) eSanjeevani.
 (c) Vandrevala Foundation.
 (d) iCall (TISS).
21. A nurse is conducting a Mini-Mental State Examination (MMSE) for a patient who scores 19 out of 30. How should this be interpreted?
 (a) Normal cognitive function.
 (b) Mild cognitive impairment.
 (c) Moderate cognitive impairment.
 (d) Severe cognitive impairment.
22. After administering intravenous hydrocortisone, which nursing assessment is most essential?
 (a) Assess blood glucose levels.
 (b) Encourage a high-sodium diet.
 (c) Withhold fluid intake.
 (d) Monitor for hypercalcemia.
23. A mother is positive for Chlamydia trachomatis at delivery. What should be given prophylactically to the asymptomatic newborn to prevent ophthalmia neonatorum?
 (a) Oral Erythromycin.
 (b) Erythromycin 0.5% eye ointment.
 (c) Tetracycline 1% ointment.
 (d) Silver Nitrate 1% ointment.
24. A labor room nurse identifies that a primigravida client has 5 cm cervical dilation and 50% effacement. Which phase of labor is the client in?
 (a) Latent phase.
 (b) Active phase.
 (c) Transitional phase.
 (d) Expulsive phase.
25. Which Indian state is the first to implement a "State Health Policy" aimed at providing universal health coverage to all its citizens?
 (a) Kerala
 (b) Karnataka
 (c) Tamil Nadu
 (d) Rajasthan
26. A nurse is caring for a patient with a chest tube. While turning the patient, the chest tube accidentally gets disconnected from the drainage system. What is the immediate priority action?
 (a) Clamp the chest tube immediately with a hemostat.
 (b) Immerse the end of the tube in a bottle of sterile water.
 (c) Cover the insertion site with a dry sterile dressing.
 (d) Call the physician and wait for instructions.
27. In the context of computer hardware, what is the primary function of the BIOS?
 (a) Permanent storage of user data.
 (b) Initializes and tests hardware components during the boot process.
 (c) Manages the graphical user interface (GUI).
 (d) Performs complex mathematical calculations for software.
28. A patient is diagnosed with "Acalculous Cholecystitis." The nurse understands that this condition is most commonly seen in:
 (a) Patients with a high-cholesterol diet.
 (b) Critically ill patients (e.g., major burns or trauma).
 (c) Young females using oral contraceptives.
 (d) Patients with hemolytic anemia.

29. What is the specific antidote for Magnesium Sulfate (MgSO₄) toxicity in a pre-eclamptic mother?
 (a) Naloxone.
 (b) Calcium Gluconate.
 (c) Protamine Sulfate.
 (d) Vitamin K.
30. A nurse needs to administer 500 mL of Normal Saline over 4 hours. The drop factor is 15 gtt/mL. What is the flow rate in drops per minute (gtt/min)?
 (a) 21 gtt/min
 (b) 31 gtt/min
 (c) 42 gtt/min
 (d) 60 gtt/min
31. While assessing a patient with a head injury, the nurse notes that the patient opens their eyes only in response to a painful stimulus, uses inappropriate words, and withdraws from the painful stimulus. What is the GCS score?
 (a) 7 (b) 8
 (c) 9 (d) 10
32. A nurse is providing care for a patient with a diagnosis of "Wernicke's Encephalopathy." Which vitamin deficiency is the primary cause of this condition?
 (a) Vitamin B6 (Pyridoxine)
 (b) Vitamin B1 (Thiamine)
 (c) Vitamin B12 (Cobalamin)
 (d) Vitamin B3 (Niacin)
33. What is the primary nursing responsibility immediately following a Liver Biopsy?
 (a) Keep the patient in a High-Fowler's position.
 (b) Position the patient on the right side with a small pillow under the site.
 (c) Encourage early ambulation to prevent DVT.
 (d) Maintain the patient in a prone position for 4 hours.
34. A patient is receiving a blood transfusion and suddenly develops chills, itching, and dyspnea. After stopping the transfusion, what is the next priority?
 (a) Administer Normal Saline through a new IV tubing.
 (b) Return the blood bag to the pharmacy immediately.
 (c) Administer an antipyretic.
 (d) Document the reaction in the chart.
35. In a community setting, the "Cold Chain" system is used to maintain the potency of vaccines. Which vaccine is the most heat-sensitive?
 (a) BCG
 (b) TT (Tetanus Toxoid)
 (c) OPV (Oral Polio Vaccine)
 (d) Hepatitis B
36. A child is brought to the ER after accidentally ingesting a bottle of Ibuprofen. The nurse anticipates the use of which substance to decrease absorption?
 (a) Syrup of Ipecac
 (b) Activated Charcoal
 (c) Magnesium Citrate
 (d) Normal Saline Gastric Lavage
37. The "G20 Summit 2023" was hosted by which country?
 (a) Indonesia (b) Brazil
 (c) India (d) South Africa
38. A nurse is caring for a patient with a chest tube drainage system. The nurse observes that the water level in the water-seal chamber fluctuates (rises and falls) with the patient's respirations. What does this indicate?
 (a) An air leak in the system.
 (b) The lung has fully re-expanded.
 (c) A normal finding called tidaling.
 (d) The suction pressure is too high.
39. Which of the following positions is most appropriate for a patient immediately following a lumbar puncture?
 (a) Side-lying with knees flexed.
 (b) Flat in a supine position.
 (c) High-Fowler's position.
 (d) Semi-Fowler's position with the head turned to the side.
40. A pregnant woman at 32 weeks gestation is diagnosed with Placenta Previa. Which assessment finding should the nurse prioritize?
 (a) Continuous, sharp abdominal pain.
 (b) Rigid, board-like abdomen.
 (c) Painless, bright red vaginal bleeding.
 (d) Dark red vaginal bleeding with uterine tenderness.
41. In the event of a fire in a hospital ward, the nurse should follow the "RACE" acronym. What does the "A" in RACE stand for?
 (a) Act immediately.
 (b) Alarm (Activate the fire alarm).
 (c) Ambulate the patients.
 (d) Assess the source of fire.

42. A nurse is preparing to suction a patient with a tracheostomy. What is the maximum duration for each suction pass?
 (a) 5 seconds.
 (b) 10 to 15 seconds.
 (c) 20 to 30 seconds.
 (d) As long as it takes to clear secretions.
43. Which of the following is the most reliable indicator of effective chest compressions during Adult CPR?
 (a) Dilated pupils.
 (b) Palpable carotid pulse with each compression.
 (c) Chest rise and fall.
 (d) Return of skin color to normal.
44. If "NURSE" is coded as "OXSTF", how would "HEAL" be coded in the same pattern?
 (a) IFBM (b) IFBM
 (c) JGBM (d) HFAM
45. A patient is receiving an intravenous infusion of Vancomycin. The nurse notes that the patient's face, neck, and upper torso have become bright red and flushed. What is the most likely cause?
 (a) An acute anaphylactic reaction.
 (b) Infusion rate is too rapid (Red Man Syndrome).
 (c) Development of Stevens-Johnson syndrome.
 (d) Normal side effect of the medication.
46. Which of the following laboratory values is the most sensitive indicator for monitoring the effectiveness of Heparin therapy?
 (a) Prothrombin Time (PT).
 (b) International Normalized Ratio (INR).
 (c) Activated Partial Thromboplastin Time (aPTT).
 (d) Bleeding time.
47. A patient with a diagnosis of Colon Cancer is undergoing "Brachytherapy." The nurse understands that this therapy involves:
 (a) High-dose external beam radiation.
 (b) Implantation of radioactive isotopes directly into or near the tumor.
 (c) Systematic administration of radioactive iodine orally.
 (d) Using a Gamma knife to target intracranial lesions.
48. What is the primary purpose of a "Sengstaken-Blakemore tube"?
 (a) To provide long-term enteral nutrition.
 (b) To exert pressure against esophageal varices to stop bleeding.
 (c) To drain excess fluid from the peritoneal cavity.
 (d) To decompress the stomach in a patient with a bowel obstruction.
49. A nurse is reviewing the arterial blood gas (ABG) results for a patient: pH 7.30, PaCO₂ 52 mmHg, HCO₃ 24 mEq/L. These results indicate:
 (a) Metabolic Acidosis. (b) Respiratory Acidosis.
 (c) Respiratory Alkalosis. (d) Metabolic Alkalosis.
50. Which of the following signs is an early indicator of increased intracranial pressure (ICP) in an adult patient?
 (a) Cushing's triad.
 (b) Change in Level of Consciousness (LOC).
 (c) Fixed and dilated pupils.
 (d) Decerebrate posturing.
51. The "Statue of Unity," the world's tallest statue, is located in which Indian state?
 (a) Rajasthan (b) Maharashtra
 (c) Gujarat (d) Uttar Pradesh
52. Which organ in the human body is primarily responsible for the detoxification of drugs and production of bile?
 (a) Pancreas (b) Liver
 (c) Spleen (d) Kidneys
53. At what age does a typically developing infant begin to sit without support?
 (a) 4 months (b) 6 to 8 months
 (c) 10 months (d) 12 months
54. Which of the following is considered the "Gold Standard" for confirming the placement of a newly inserted Nasogastric (NG) tube?
 (a) Aspirating gastric contents and checking pH.
 (b) Observing for respiratory distress.
 (c) Radiographic (X-ray) confirmation.
 (d) Auscultating an air bolus over the epigastrium.
55. A nurse is conducting a health education session on Breast Self-Examination (BSE). When is the best time for a menstruating woman to perform BSE?
 (a) During the first day of the menstrual period.
 (b) 7 to 10 days after the start of the menstrual period.
 (c) On the same day every month, regardless of the cycle.
 (d) Immediately before the menstrual period begins.
56. What is the recommended chest compression-to-ventilation ratio for two-rescuer CPR on an infant?
 (a) 30:2 (b) 15:2
 (c) 5:1 (d) 3:1

57. A patient is diagnosed with "Diabetes Insipidus" following head trauma. Which clinical manifestation should the nurse expect to observe?
 (a) Excessive thirst and low urine output.
 (b) High urine output and low urine specific gravity.
 (c) High blood glucose and ketones in the urine.
 (d) Weight gain and peripheral edema.
58. In the "Rule of Nines" for calculating burn surface area in an adult, the entire right arm (front and back) accounts for what percentage?
 (a) 4.5% (b) 9%
 (c) 18% (d) 1%
59. Which key combination is used to "Undo" the last action in most Windows applications?
 (a) Ctrl + C (b) Ctrl + V
 (c) Ctrl + Z (d) Ctrl + Y
60. Who is the current Union Health Minister of India?
 (a) Mansukh Mandaviya
 (b) Jagat Prakash Nadda
 (c) Harsh Vardhan
 (d) Amit Shah
61. A nurse is assessing a newborn and notes a swelling on the head that crosses the suture lines. The mother is concerned. The nurse identifies this as:
 (a) Cephalohematoma (b) Caput Succedaneum
 (c) Craniotabes (d) Hydrocephalus
62. What is the primary purpose of the "Z-track" technique during intramuscular injections?
 (a) To decrease the pain associated with the needle stick.
 (b) To prevent the medication from leaking back into the subcutaneous tissue.
 (c) To ensure the medication reaches the bone for faster absorption.
 (d) To allow for a larger volume of medication to be injected.
63. A patient presents with a characteristic "mask-like" facial expression, tremors at rest, and a shuffling gait. These are hallmark signs of:
 (a) Myasthenia Gravis
 (b) Multiple Sclerosis
 (c) Parkinson's Disease
 (d) Amyotrophic Lateral Sclerosis (ALS)
64. During the assessment of a pregnant client, the nurse notes a bluish discoloration of the cervix and vaginal mucosa. This is documented as:
 (a) Goodell's sign
 (b) Hegar's sign
 (c) Chadwick's sign
 (d) Braxton Hicks contractions
65. Which of the following is the most appropriate nursing intervention for a patient experiencing an active tonic-clonic seizure?
 (a) Place a padded tongue blade between the teeth.
 (b) Restrain the patient's limbs to prevent injury.
 (c) Turn the patient to a side-lying position.
 (d) Administer oral glucose immediately.
66. In an ECG, the P-wave represents which of the following electrical activities?
 (a) Ventricular depolarization
 (b) Atrial depolarization
 (c) Ventricular repolarization
 (d) Atrial repolarization
67. "World Health Day" is celebrated every year on:
 (a) May 12 (b) April 7
 (c) December 1 (d) July 11
68. Complete the series: 2, 6, 12, 20, 30, ?
 (a) 36 (b) 40
 (c) 42 (d) 44
69. In a mass casualty incident, a nurse is performing triage. A patient is found to have a sucking chest wound, is conscious, but has significant respiratory distress. Which color tag should the nurse assign?
 (a) Green (b) Yellow
 (c) Red (d) Black
70. Which of the following is the most common site for a sample to be taken for an Arterial Blood Gas (ABG) analysis?
 (a) Brachial artery
 (b) Femoral artery
 (c) Radial artery
 (d) Ulnar artery
71. A woman who is 10 weeks pregnant is experiencing severe, persistent vomiting that has led to weight loss and dehydration. This condition is known as:
 (a) Morning sickness
 (b) Hyperemesis Gravidarum
 (c) Gestational Gastritis
 (d) Pica

72. In nursing research, a "Pilot Study" is defined as:
 (a) A study conducted with a very large population to ensure generalizability.
 (b) A small-scale preliminary study conducted to evaluate feasibility and design.
 (c) A study that focuses exclusively on historical nursing data.
 (d) A study where the researcher remains blinded to the participants' identities.
73. A patient is prescribed Warfarin (Coumadin). The nurse should instruct the patient to maintain a consistent intake of which of the following?
 (a) Red meat
 (b) Green leafy vegetables
 (c) Citrus fruits
 (d) Dairy products
74. Which of the following is a "Hard Sign" of a peripheral vascular injury in a trauma patient?
 (a) Small, stable hematoma
 (b) Pulsatile hemorrhage or expanding hematoma
 (c) Diminished distal pulses
 (d) History of moderate bleeding at the scene
75. Identify the odd one out from the following list of medical organizations:
 (a) AIIMS (b) ISRO
 (c) PGI (d) JIPMER
76. A clock shows 3:00 PM. If the minute hand points towards the North, in which direction does the hour hand point?
 (a) North (b) South
 (c) East (d) West
77. A nurse is reviewing the Glasgow Coma Scale (GCS) of a patient. The patient obeys commands, is oriented to time and place, and opens eyes spontaneously. What is the GCS score?
 (a) 12 (b) 13
 (c) 14 (d) 15
78. According to Dorothea Orem's theory, when a patient can perform some self-care activities but requires the nurse to assist with others, this is known as:
 (a) Wholly compensatory system
 (b) Partially compensatory system
 (c) Supportive-educative system
 (d) Health deviation self-care
79. Which of the following is the preferred site for the administration of an Intramuscular (IM) injection in an infant under 12 months of age?
 (a) Deltoid muscle
 (b) Dorsogluteal muscle
 (c) Vastus lateralis muscle
 (d) Ventrogluteal muscle
80. A patient is being treated for Pulmonary Edema. The physician orders Morphine Sulfate IV. What is the primary rationale for using Morphine in this condition?
 (a) To provide sedation.
 (b) To reduce preload and afterload through vasodilation.
 (c) To suppress the cough reflex.
 (d) To increase the heart rate.
81. What is the standard duration for handwashing with soap and water as recommended by the WHO?
 (a) 10–15 seconds (b) 20–30 seconds
 (c) 40–60 seconds (d) 2–3 minutes
82. In a community health survey, the "Case Fatality Rate" (CFR) is used to measure:
 (a) The infectiousness of a disease.
 (b) The total number of deaths in a population.
 (c) The killing power or virulence of a specific disease.
 (d) The number of new cases occurring in a year.
83. Which vitamin is synthesized in the human body when the skin is exposed to ultraviolet (UV) rays?
 (a) Vitamin A (b) Vitamin C
 (c) Vitamin D (d) Vitamin E
84. Find the missing number in the sequence: 1, 4, 9, 16, 25, ?
 (a) 30 (b) 35
 (c) 36 (d) 40
85. In a research study, what is the term for the group of people who are not exposed to the independent variable and serve as a benchmark for comparison?
 (a) Experimental group (b) Control group
 (c) Target population (d) Sample frame
86. A nurse is performing a physical assessment on a patient and uses the technique of "Percussion." What is the primary purpose of this technique?
 (a) To assess skin temperature and moisture.
 (b) To listen to heart and lung sounds.
 (c) To determine the density of underlying tissues and organs.
 (d) To check for pedal pulses.
87. Which of the following is the most significant side effect of the antipsychotic medication Clozapine that requires mandatory blood monitoring?
 (a) Weight gain
 (b) Agranulocytosis
 (c) Orthostatic hypotension
 (d) Photosensitivity

88. A patient is diagnosed with "Meniere's Disease." Which of the following is the classic triad of symptoms associated with this condition?
 - (a) Headache, blurred vision, and nausea.
 - (b) Vertigo, tinnitus, and sensorineural hearing loss.
 - (c) Fever, stiff neck, and photophobia.
 - (d) Diplopia, ptosis, and muscle weakness.
89. In the context of maternal health, "Puerperium" refers to the period:
 - (a) From conception to the birth of the baby.
 - (b) From the onset of labor to the delivery of the placenta.
 - (c) From the delivery of the placenta to 6 weeks postpartum.
 - (d) From 6 months to 1 year after delivery.
90. Which of the following electrolyte imbalances is commonly associated with a "Positive Trousseau's Sign"?
 - (a) Hyperkalemia
 - (b) Hypocalcemia
 - (c) Hyponatremia
 - (d) Hypomagnesemia
91. Which city is known as the "Pink City" of India?
 - (a) Udaipur
 - (b) Jaipur
 - (c) Jodhpur
 - (d) Ahmedabad
92. If "COMPUTER" is written as "RFUVQNPC", how will "MEDICINE" be written in that code?
 - (a) EOJDJEFM
 - (b) EOJDJEFM
 - (c) MFEJDJOE
 - (d) MFEDJJOE

ANSWER KEY

1. [b]	2. [c]	3. [b]	4. [a]	5. [a]
6. [b]	7. [a]	8. [a]	9. [b]	10. [b]
11. [a]	12. [b]	13. [a]	14. [b]	15. [b]
16. [c]	17. [c]	18. [a]	19. [b]	20. [a]
21. [b]	22. [a]	23. [b]	24. [b]	25. [b]
26. [b]	27. [b]	28. [b]	29. [b]	30. [b]
31. [c]	32. [b]	33. [b]	34. [a]	35. [c]
36. [b]	37. [c]	38. [c]	39. [b]	40. [c]
41. [b]	42. [b]	43. [b]	44. [b]	45. [b]
46. [c]	47. [b]	48. [b]	49. [b]	50. [b]
51. [c]	52. [b]	53. [b]	54. [c]	55. [b]
56. [b]	57. [b]	58. [b]	59. [c]	60. [b]
61. [b]	62. [b]	63. [c]	64. [c]	65. [c]
66. [b]	67. [b]	68. [c]	69. [c]	70. [c]
71. [b]	72. [b]	73. [b]	74. [b]	75. [b]
76. [c]	77. [d]	78. [b]	79. [c]	80. [b]
81. [c]	82. [c]	83. [c]	84. [c]	85. [b]
86. [c]	87. [b]	88. [b]	89. [c]	90. [b]
91. [b]	92. [b]			

NORCET 9 MAINS MEMOER BASE

1. A patient with Chronic Kidney Disease (CKD) presents with hyponatremia. What is the appropriate intravenous fluid to administer?
 - (a) 5% Dextrose
 - (b) 0.9% Normal Saline
 - (c) 0.45% Normal Saline
 - (d) 3% Hypertonic Saline
2. What is the first-line management for Postpartum Hemorrhage (PPH) at a Primary Health Center (PHC) level?
 - (a) Uterine artery ligation
 - (b) Oxytocin administration and referral
 - (c) Immediate Hysterectomy
 - (d) B-Lynch suture
3. A nurse observes a patient who has a strong urge to wear clothing typically associated with the opposite gender. This is known as:
 - (a) Fetishism
 - (b) Transvestism
 - (c) Voyeurism
 - (d) Exhibitionism
4. While performing suctioning on a patient, the nurse notes the SpO₂ drops from 94% to 88%. What is the priority action?
 - (a) Continue suctioning until the airway is clear.
 - (b) Stop suctioning and provide 100% oxygen.
 - (c) Increase the suction pressure.
 - (d) Change to a larger suction catheter.
5. In the assessment of a child with suspected Respiratory Distress Syndrome (RDS), which scale is most commonly used?
 - (a) Apgar Scale
 - (b) Anderson and Downey Scale
 - (c) Glasgow Coma Scale
 - (d) Braden Scale
6. What is the most common site of cancer in women globally and in India?
 - (a) Cervical Cancer
 - (b) Breast Cancer
 - (c) Ovarian Cancer
 - (d) Endometrial Cancer
7. A patient presents with "Late Decelerations" on a fetal heart monitor. This Image-Based Question (IBQ) indicates:
 - (a) Head compression
 - (b) Uteroplacental insufficiency
 - (c) Umbilical cord compression
 - (d) Fetal movement
8. Which of the following vaccines is administered via the oral route to prevent gastroenteritis?
 - (a) BCG
 - (b) Rota vaccine
 - (c) Hepatitis B
 - (d) DPT

9. **If a chest tube becomes accidentally dislodged from the patient, what is the immediate nursing action?**
 - (a) Clamp the tube.
 - (b) Place the end of the tube in a sterile saline container.
 - (c) Apply a dry gauze dressing.
 - (d) Re-insert the tube immediately.
10. **A child presents with an "olive-shaped mass" in the epigastrium and projectile vomiting. This is characteristic of:**
 - (a) Intussusception
 - (b) Pyloric Stenosis
 - (c) Hirschsprung disease
 - (d) Celiac disease
11. **A patient is observed constantly shifting from one topic to another where the ideas are connected but the logic is fragmented. This "form of thought" disorder is known as:**
 - (a) Neologism
 - (b) Circumstantiality and Tangentiality
 - (c) Word Salad
 - (d) Perseveration
12. **What is the most appropriate position for a patient with an Umbilical Cord Prolapse?**
 - (a) Lithotomy position
 - (b) Trendelenburg position
 - (c) Prone position
 - (d) Left lateral position
13. **In the management of a newborn with an Apgar score indicating the need for resuscitation, what is the recommended flow rate for the resuscitation bag?**
 - (a) 5 L/min
 - (b) 10 L/min
 - (c) 15 L/min
 - (d) 2 L/min
14. **A patient is diagnosed with Dandy-Walker Syndrome. The nurse understands this is primarily caused by:**
 - (a) Failure of the neural tube to close.
 - (b) Blockage of the Foramina of Luschka and Magendie.
 - (c) Premature closure of cranial sutures.
 - (d) Deficiency of folic acid during pregnancy.
15. **Which of the following is considered the highest protein-containing food source suitable for a patient needing a high-protein diet?**
 - (a) Egg white
 - (b) Milk
 - (c) Soybean
 - (d) Pulses
16. **What is the specific nursing action for a patient experiencing "Akathisia" as a side effect of antipsychotic medication?**
 - (a) Encourage the patient to sleep.
 - (b) Recognize the patient's inability to sit still and notify the provider.
 - (c) Administer a stimulant.
 - (d) Restrict fluid intake.
17. **Using the Parkland Formula for a burn patient requiring 4800 mL of fluid in 24 hours, how much should be administered in the first 8 hours?**
 - (a) 1200mL
 - (b) 2400 mL
 - (c) 4800 mL
 - (d) 1600 mL
18. **If a drug calculation requires a flow rate of 31mL/hr, which of the following is the correct interpretation?**
 - (a) Administer 31 drops/min.
 - (b) The infusion pump should be set to 31 mL/hr.
 - (c) Administer 31 ML every 4 hours.
 - (d) Total volume is 31 mL.
19. **A patient is being monitored with capnography during a surgical procedure. The nurse knows that capnography is primarily used to measure:**
 - (a) Arterial oxygen saturation.
 - (b) End-tidal carbon dioxide (EtCO₂) levels.
 - (c) Core body temperature.
 - (d) Central venous pressure.
20. **During a blood transfusion, a patient suddenly develops a fever and back pain. What is the nurse's first priority action?**
 - (a) Slow down the transfusion rate.
 - (b) Stop the transfusion immediately.
 - (c) Administer an antipyretic.
 - (d) Notify the physician before taking action.
21. **A patient is diagnosed with Borderline Personality Disorder. Which therapeutic approach is considered the most effective for this condition?**
 - (a) Electroconvulsive Therapy (ECT).
 - (b) Dialectical Behavior Therapy (DBT).
 - (c) Cognitive Behavioral Therapy (CBT) alone.
 - (d) Psychoanalysis.
22. **In the assessment of a pregnant client, "Variable Decelerations" on the fetal heart monitor are most commonly associated with:**
 - (a) Head compression.
 - (b) Uteroplacental insufficiency.
 - (c) Umbilical cord compression.
 - (d) Maternal hypotension.

23. A patient is prescribed Disulfiram (Antabuse) for alcohol cessation. The nurse must instruct the patient to avoid:
- High-protein foods.
 - Any products containing alcohol.
 - Excessive sunlight.
 - Dairy products.
24. What is the characteristic sign of the second stage of labor?
- Onset of regular contractions.
 - Rupture of membranes.
 - Full dilation of the cervix (10 cm).
 - Delivery of the placenta.
25. A patient presents with a chronically low mood that has persisted for several years but is not severe enough to be classified as Major Depressive Disorder. This is known as:
- Bipolar Disorder.
 - Dysthymia (Persistent Depressive Disorder).
 - Cyclothymia.
 - Schizoaffective Disorder.
26. Which of the following is considered a "first-rank symptom" of Schizophrenia?
- Visual hallucinations.
 - Thought withdrawal or insertion.
 - Poor hygiene.
 - Social withdrawal.
27. A patient is being evaluated for Chronic Hepatitis. The nurse knows that the most common viral causes for this chronic condition are:
- Hepatitis A and E
 - Hepatitis B and C
 - Hepatitis A and B
 - Hepatitis C and D
28. During the administration of CPR, according to advanced protocols, when should the first dose of Adrenaline (1 mg) be administered?
- Immediately after the first shock
 - After the second shock
 - Before the first shock
 - Only after 10 minutes of CPR
29. A nurse is assisting with a pelvic examination and observes the provider using acetic acid for visual inspection of the cervix. This technique is used to screen for:
- Breast Cancer
 - Cervical Cancer
 - Ovarian Cysts
 - Endometriosis
30. A child is born with a Meningocele. What is the priority nursing observation for this infant?
- Monitoring for skin rashes
 - Observing the anterior fontanelle for bulging
 - Checking for a femoral pulse
 - Measuring chest circumference
31. Which of the following conditions is characterized by the "Boot-Shaped Heart" on a chest X-ray?
- Atrial Septal Defect (ASD)
 - Tetralogy of Fallot (TOF)
 - Ventricular Septal Defect (VSD)
 - Patent Ductus Arteriosus (PDA)
32. A patient is prescribed a "Bactericidal" drug for Tuberculosis. Which of the following medications fits this classification?
- Ethambutol
 - Rifampicin
 - Cycloserine
 - Para-aminosalicylic acid
33. What is the primary purpose of a "Laryngeal Mask Airway" (LMA)?
- Long-term mechanical ventilation
 - Direct tracheal intubation alternative/assistance
 - To drain gastric contents
 - To monitor esophageal pressure
34. During Abdominal Surgery, why is Atropine often administered pre-operatively?
- To increase bowel motility
 - To increase/control secretions (specifically to decrease them)
 - To lower the heart rate
 - To induce muscle relaxation
35. A patient is suspected of having a primary heart block. Which of the following diagnostic findings on an ECG would confirm this diagnosis?
- Absent P-waves
 - Prolonged PR interval (>0.20 seconds)
 - Widened QRS complex
 - Sawtooth baseline
36. When providing discharge instructions for a patient prescribed Nitroglycerine, which common side effect should the nurse emphasize?
- Hypertension
 - Headache
 - Bradycardia
 - Constipation

37. A patient is on a ventilator, and the nurse observes a sudden increase in the peak airway pressure alarm. What is the priority nursing action?
 (a) Increase the oxygen concentration.
 (b) Perform suctioning to clear secretions.
 (c) Change the ventilator settings.
 (d) Administer a sedative.
38. Which of the following clinical findings is considered a "late sign" of hypoxia?
 (a) Restlessness (b) Tachycardia
 (c) Cyanosis (d) Tachypnea
39. A patient is diagnosed with an "Ecchymosis" or Eczema. Which local treatment is typically prescribed?
 (a) Antibiotic ointment (b) Corticosteroids
 (c) Antifungal cream (d) Salicylic acid
40. For a patient with Congestive Heart Failure (CHF), which of the following is a key component of the management plan?
 (a) Increase sodium intake
 (b) Restrict fluid intake
 (c) Encourage high-intensity exercise
 (d) Discontinue all diuretics
41. A patient with a pelvic fracture is suspected of having a urethral or testicular injury. Which of the following procedures should the nurse avoid performing?
 (a) Measuring blood pressure on the lower extremities.
 (b) Insertion of a urinary (Foley) catheter.
 (c) Administration of intramuscular injections.
 (d) Palpation of the abdomen.
42. A nurse is caring for a 14-day-old infant who presents with fast breathing and a yellowish tint to the skin. This clinical picture most likely indicates:
 (a) Normal physiological transition.
 (b) A neonatal infection or severe jaundice.
 (c) Normal newborn hunger cues.
 (d) Congenital heart disease only.
43. Which of the following is a key nursing consideration when caring for a patient with a "Molar Pregnancy" (Hydatidiform Mole)?
 (a) Encourage the patient to conceive again immediately.
 (b) Monitor serum HCG levels weekly until they return to normal.
 (c) Administer Rh immune globulin only after 20 weeks.
 (d) Prepare for a normal vaginal delivery.
44. A patient is diagnosed with "Dysthymia." The nurse understands that this patient will primarily exhibit:
 (a) Periodic episodes of extreme mania.
 (b) A chronically low mood for at least two years.
 (c) Acute visual hallucinations.
 (d) Sudden onset of panic attacks.
45. Which of the following medications is commonly prescribed to manage "neurotic" or neuropathic pain?
 (a) Ibuprofen.
 (b) Gabapentin.
 (c) Acetaminophen.
 (d) Morphine.
46. A patient in the ICU has an "ECG" showing a First-Degree Heart Block. If the patient becomes symptomatic, what is a potential emergency intervention?
 (a) Immediate Defibrillation.
 (b) Transcutaneous Pacing.
 (c) Administration of a Beta-Blocker.
 (d) Carotid massage.
47. During "Suctioning" of a patient on a ventilator, the nurse should prioritize:
 (a) Suctioning for at least 30 seconds.
 (b) Limiting suction time and monitoring SpO₂.
 (c) Turning off the ventilator alarms.
 (d) Using a clean (non-sterile) technique.
48. A nurse is preparing to administer a medication with a flow rate of 45 mL/min. What is the most appropriate equipment to ensure precise delivery at this high rate?
 (a) Standard gravity drip set
 (b) Volumetric infusion pump
 (c) Syringe driver
 (d) Micro-drip set
49. During the assessment of a patient with an "Epidural Anesthesia" block, which finding would most likely indicate a complication of fluid overload or hypervolemia?
 (a) Increased urine output
 (b) Crackles on lung auscultation
 (c) Sunken eyeballs
 (d) Flat neck veins
50. A patient is diagnosed with "Asherman Syndrome." The nurse should expect the patient to report which menstrual irregularity?
 (a) Menorrhagia (heavy bleeding)
 (b) Hypomenorrhea (scanty bleeding)
 (c) Metrorrhagia (intermenstrual bleeding)
 (d) Polymenorrhea (frequent cycles)

51. Which of the following positions is contraindicated for a child with a "Myelomeningocele" prior to surgical repair?
 (a) Prone position
 (b) Supine position
 (c) Side-lying position
 (d) Modified Trendelenburg
52. In a community health setting, "Herd Immunity" is most effective at providing protection against which type of diseases?
 (a) Non-communicable diseases
 (b) Person-to-person communicable diseases
 (c) Tetanus
 (d) Environmental allergies
53. If a patient experiences an adverse reaction to "Prostaglandin" administration, which medication acts as an effective antidote/antagonist?
 (a) Oxytocin (b) Terbutaline
 (c) Magnesium Sulfate (d) Calcium Gluconate
54. A patient with Borderline Personality Disorder is being treated with "Dialectical Behavior Therapy" (DBT). This therapy primarily focuses on:
 (a) Changing brain chemistry through medication
 (b) Managing emotional dysregulation and distress tolerance
 (c) Uncovering repressed childhood memories
 (d) Modifying physical health through exercise
55. In the context of "Herd Immunity," which of the following statements is true regarding its effectiveness?
 (a) It provides 100% protection to every individual in a community.
 (b) It cannot provide protection against Tetanus.
 (c) It is only effective if the entire population is vaccinated.
 (d) It applies specifically to non-communicable diseases.
56. A patient is being monitored for "Chronic Hepatitis." Which viral strains are most likely responsible for this long-term condition?
 (a) Hepatitis A and E
 (b) Hepatitis B and C
 (c) Hepatitis A and B
 (d) Hepatitis C and D
57. Which of the following is considered a "Negative Symptom" of Schizophrenia?
 (a) Auditory hallucinations
 (b) Delusions of grandeur
 (c) Ambivalence
 (d) Flight of ideas
58. What is the recommended management for a child presenting with "Eczema"?
 (a) Administer oral antibiotics.
 (b) Apply local corticosteroids.
 (c) Use abrasive skin cleansers.
 (d) Limit exposure to sunlight.
59. During the management of "Shock," when is the first dose of Adrenaline (1 mg) typically administered according to advanced protocols?
 (a) Immediately upon arrival.
 (b) After the 2nd shock.
 (c) Before the 1st shock.
 (d) After 10 minutes of continuous CPR.
60. When using a "Cervicograph" (Partograph), at what point is labor officially classified as "Abnormal"?
 (a) When contractions occur every 10 minutes.
 (b) When the curve crosses the Action Line.
 (c) When the membranes rupture.
 (d) When the Latent phase lasts 4 hours.
61. What is the characteristic life span of "Fertilized Oocytes"?
 (a) 12-24 hours
 (b) 3-5 days
 (c) 7-10 days
 (d) 2 weeks
62. A patient with "Asherman Syndrome" will most likely present with:
 (a) Menorrhagia
 (b) Hypomenorrhea
 (c) Dysmenorrhea
 (d) Metrorrhagia
63. A patient is suspected of having a "Pneumothorax" after a central line insertion. Which clinical findings would confirm this complication?
 (a) Increased breath sounds on the affected side.
 (b) Absent breath sounds and sudden shortness of breath.
 (c) Productive cough with green sputum.
 (d) Bradycardia and hypertension.
64. In the context of "Ecmo" (Extracorporeal Membrane Oxygenation), what is the primary function of this specialized therapy?
 (a) To provide long-term peritoneal dialysis.
 (b) To provide temporary heart and lung support by performing gas exchange outside the body.
 (c) To automate the administration of intravenous medications.
 (d) To monitor intracranial pressure continuously.

65. Which of the following is considered a hallmark sign of "Heat Stroke" that differentiates it from heat exhaustion?
 (a) Profuse diaphoresis (sweating).
 (b) Absence of sweating and hot, dry skin.
 (c) Normal body temperature.
 (d) Increased appetite.
66. A patient is diagnosed with "Pancreatitis." Which laboratory enzymes are typically elevated in this condition?
 (a) Creatinine and BUN.
 (b) Lipase and Amylase.
 (c) AST and ALT only.
 (d) Alkaline Phosphatase and Bilirubin.
67. What is the recommended nursing intervention for an unconscious patient to maintain a patent airway?
 (a) Place the patient in a prone position.
 (b) Insert an oropharyngeal airway.
 (c) Provide oral fluids immediately.
 (d) Use a large-bore nasogastric tube.
68. A patient is prescribed "Nitroglycerine" for chest pain. What is the most common side effect the nurse should monitor for?
 (a) Constipation.
 (b) Headache.
 (c) Hypertension.
 (d) Tinnitus.
69. A patient presents with "Dysthymia." The nurse understands that this condition is characterized by:
 (a) Episodes of high energy and mania.
 (b) A chronically low mood for a period of at least two years.
 (c) Acute onset of visual hallucinations.
 (d) Fear of open spaces.
70. Which of the following is considered a "Negative Symptom" of Schizophrenia?
 (a) Auditory hallucinations.
 (b) Delusions.
 (c) Ambivalence.
 (d) Disorganized speech.
71. A child is diagnosed with "Hirschsprung Disease." What is the hallmark clinical finding the nurse should expect to observe?
 (a) Projectile vomiting.
 (b) Failure to pass meconium within the first 24-48 hours.
 (c) Sausage-shaped mass in the right upper quadrant.
 (d) Excessive drooling and choking during feedings.
72. A patient is prescribed a Monoamine Oxidase Inhibitor (MAOI) for depression. Which dietary instruction is most critical for the nurse to provide?
 (a) Increase intake of green leafy vegetables.
 (b) Avoid foods high in Tyramine, such as aged cheeses and cured meats.
 (c) Limit fluid intake to 1 liter per day.
 (d) Consume a high-protein diet including organ meats.
73. During the assessment of a patient with "Preeclampsia," which constellation of symptoms would confirm this diagnosis?
 (a) Blood pressure 120/80 and clear urine.
 (b) Blood pressure 160/110, persistent headache, and Proteinuria +3.
 (c) Low blood pressure and increased appetite.
 (d) Normal blood pressure with excessive fetal movement.
74. What is the primary purpose of using a "Devier Retractor" during a surgical procedure?
 (a) To cut through tough connective tissue.
 (b) To retract deep abdominal organs to provide a clear surgical field.
 (c) To suction fluids from the operative site.
 (d) To monitor the patient's heart rate during surgery.
75. A patient with "Borderline Personality Disorder" is exhibiting impulsive and self-destructive behaviors. The nurse understands that the most appropriate therapeutic intervention is:
 (a) Brief hospitalizations only.
 (b) Dialectical Behavior Therapy (DBT).
 (c) Long-term psychoanalysis.
 (d) High-dose antipsychotic medication.
76. Which of the following findings on a "Cervicograph" (Partograph) would indicate that a patient's labor is progressing normally?
 (a) The cervical dilation curve stays to the right of the Alert Line.
 (b) The cervical dilation curve stays to the left of the Alert Line.
 (c) The cervical dilation curve crosses the Action Line.
 (d) The fetal heart rate remains above 180 bpm.
77. The "Indian Newborn Action Plan" (INAP) was developed to primarily address:
 (a) Maternal malnutrition.
 (b) Reducing preventable newborn deaths and stillbirths.
 (c) Adult literacy programs.
 (d) Universal health insurance for the elderly.

78. What is the age group targeted by the "Integrated Child Development Services" (ICDS) program?
 (a) 6–12 years.
 (b) 0–6 years.
 (c) 13–18 years.
 (d) Only infants under 1 year.
79. A patient with a head injury is being monitored for signs of "Increased Intracranial Pressure (ICP)." Which of the following is considered the earliest indicator of neurological deterioration?
 (a) Cushing's Triad
 (b) Change in Level of Consciousness (LOC)
 (c) Fixed and dilated pupils
 (d) Decerebrate posturing
80. Which of the following statements is true regarding the "Killed Vaccine"?
 (a) It provides lifelong immunity with a single dose
 (b) Booster doses are typically needed to maintain immunity
 (c) It is contraindicated in immunocompromised patients
 (d) It can revert to a virulent form
81. A patient presents with sudden onset of "Resp. Alkalosis." Which of the following clinical conditions is most likely associated with this finding?
 (a) Chronic Obstructive Pulmonary Disease (COPD)
 (b) Pulmonary Embolism
 (c) Narcotic overdose
 (d) Diabetic Ketoacidosis
82. Which medication is considered a specific "Adjuvant" used to increase the immunogenicity of a vaccine?
 (a) Aluminum salts
 (b) Adjuvant (as a general class)
 (c) Preservatives
 (d) Antibiotics
83. A patient is prescribed "Methyldopa." Which of the following is an important instruction to provide regarding this medication?
 (a) Take it only when you feel a headache
 (b) It is commonly used to treat hypertension during pregnancy
 (c) Avoid all dairy products while taking this drug
 (d) It is a fast-acting diuretic
84. If a drug calculation requires a flow rate of 31 mL/h, and the total volume is 500 mL, approximately how long will the infusion last?
 (a) 8 hours (b) 16 hours
 (c) 20 hours (d) 24 hours
85. In a research study, what type of bias is primarily minimized by using "blinding" techniques?
 (a) Selection bias
 (b) Performance bias
 (c) Recall bias
 (d) Measurement bias
86. A patient is being monitored for potential "Fluid Overload" or hypervolemia while receiving Epidural Anesthesia. Which finding should the nurse prioritize?
 (a) Sunken eyes
 (b) Crackles in the lungs
 (c) Decreased skin turgor
 (d) Flattened neck veins
87. Which of the following is an expected clinical manifestation of "Meningomyelocele" in a newborn?
 (a) Excessive crying and hunger
 (b) Bulging anterior fontanelle
 (c) Sunken abdomen
 (d) Hyperactive reflexes in the lower limbs
88. A patient is suspected of having "Pneumothorax" following a central line insertion. Which assessment finding is diagnostic?
 (a) Increased breath sounds
 (b) Absent breath sounds on the affected side
 (c) Productive cough
 (d) Bradypnea
89. In the context of the "Integrated Child Development Services" (ICDS) program, which age group is the primary beneficiary?
 (a) 6 to 12 years (b) 0 to 6 years
 (c) 10 to 18 years (d) Infants under 1 year only
90. Which medication is most appropriate for a patient experiencing an "Involuntary Tongue Movement" as an extrapyramidal side effect?
 (a) Haloperidol (b) Trihexyphenidyl
 (c) Diazepam (d) Chlorpromazine
91. The "Ayushman Bharat Digital Mission" is focused on creating which of the following for Indian citizens?
 (a) Free life insurance for all
 (b) Universal Health Identity (Health ID)
 (c) Digital banking for hospitals
 (d) Automated surgical robots
92. What is the primary goal of the "Janani Suraksha Yojana" (JSY)?
 (a) To provide free education for girls
 (b) To promote institutional delivery
 (c) To provide free food to the elderly
 (d) To automate rural pharmacies

93. A patient in the ICU is being monitored using a "Capnograph." During CPR, the nurse notes a sudden increase in the EtCO₂ levels. This most likely indicates:
- Dislodgement of the endotracheal tube.
 - Return of Spontaneous Circulation (ROSC).
 - Ineffective chest compressions.
 - Onset of pulmonary embolism.
94. Which of the following describes the characteristic shape of a "Demography" pyramid for a population with high birth and high death rates?
- Rectangular with a narrow base.
 - Broad base with a narrow, pointed top.
 - Bulging middle with a narrow base and top.
 - Top portion wide and base narrow.
95. A nurse is advising a patient diagnosed with "Peptic Ulcer." Which of the following painkillers should the patient be strictly instructed to avoid?
- Acetaminophen (Paracetamol).
 - NSAIDs like Ibuprofen and Diclofenac.
 - Opioids under strict supervision.
 - Topical lidocaine patches.
96. What is the primary nursing role when caring for a child with "Conduct Disorder"?
- Allowing the child to set their own schedule.
 - Implementing and maintaining strict rules and regulations.
 - Providing constant material rewards for all behaviors.
 - Isolating the child from all peer interactions.
97. A patient is receiving "High-flow Oxygen" therapy. Which complication is a major concern, particularly in premature infants?
- Hearing loss.
 - Retinopathy of Prematurity (ROP).
 - Increased bone density.
 - Excessive hair growth.
98. During a "Lumber Puncture" procedure, which of the following is a critical nursing assessment?
- Monitoring for skin rashes on the arms.
 - Maintaining correct patient positioning and monitoring vital signs.
 - Ensuring the patient is in a standing position.
 - Checking for pedal pulses every 5 minutes.
99. A 3-year-old child is being assessed for fine motor development. Which of the following tasks is most appropriate for this age group?
- Tying shoelaces.
 - Clay molding using fingers.
 - Writing full sentences.
 - Using a needle and thread.

100. What is the primary nursing observation for a newborn diagnosed with "Meningocele"?
- Checking for a femoral pulse.
 - Observing the anterior fontanelle for bulging.
 - Monitoring for a skin rash.
 - Measuring abdominal girth.

ANSWER KEY				
1. [b]	2. [b]	3. [b]	4. [b]	5. [b]
6. [b]	7. [b]	8. [b]	9. [b]	10. [b]
11. [b]	12. [b]	13. [c]	14. [b]	15. [c]
16. [b]	17. [b]	18. [b]	19. [b]	20. [b]
21. [b]	22. [c]	23. [b]	24. [c]	25. [b]
26. [b]	27. [b]	28. [b]	29. [b]	30. [b]
31. [b]	32. [b]	33. [b]	34. [b]	35. [b]
36. [b]	37. [b]	38. [c]	39. [b]	40. [b]
41. [b]	42. [b]	43. [b]	44. [b]	45. [b]
46. [b]	47. [b]	48. [b]	49. [b]	50. [b]
51. [b]	52. [b]	53. [b]	54. [b]	55. [b]
56. [b]	57. [c]	58. [b]	59. [b]	60. [b]
61. [b]	62. [b]	63. [b]	64. [b]	65. [b]
66. [b]	67. [b]	68. [b]	69. [b]	70. [c]
71. [b]	72. [b]	73. [b]	74. [b]	75. [b]
76. [b]	77. [b]	78. [b]	79. [b]	80. [b]
81. [b]	82. [b]	83. [b]	84. [b]	85. [b]
86. [b]	87. [b]	88. [b]	89. [b]	90. [b]
91. [b]	92. [b]	93. [b]	94. [b]	95. [b]
96. [b]	97. [b]	98. [b]	99. [b]	100. [b]